

## 98" interaktivni 4K UHD LCD ekran osetljiv na dodir sa integrisanim softverom za beleške

Podelite svoju viziju sa [ProLite TE9803MIS-B1AG](#); savršenim rešenjem za obrazovanje i korporativnu upotrebu. 98" infracrveni dodirni ekran sa 20 tačaka sa iiWare 8.0 (Android OS) koji sadrži Note, web browser, menadžer datoteka, cloud diskove, WPS office i ScreenSharePro. Dolazi sa olovkama sa dvostrukim dodirnom, koje korisnicima omogućavaju lagano beleženje u 4K rezoluciji na datotekama i sadržajima na ekranu, koji se mogu sačuvati direktno na USB uređaj, internu memoriju od 16 giga ili na povezani uređaj u cloud-u. Ekran podržava ponavljanje prezentacija, video zapisa visoke rezolucije i gotovo bilo koju drugu vrstu sadržaja.

Visokokvalitetni komercijalni IPS LCD ekran sa 4K UHD rezolucijom (3840 x 2160 - 8,3 megapiksela), 350cd / m2 i kontrastnim odnosom od 1200:1, pruža živopisne, detaljne i visokokvalitetne slike bilo gde, u učionici ili sobi za sastanke. Premaz protiv odsjaja drastično smanjuje ambijentalnu refleksiju u okruženjima visoke osvetljenosti, a da ne ugrožava oštrinu i jasnoću slike. Ekran je opremljen metalnim okvirom i kaljenim staklom debljine 4 mm kako bi se osigurala dugotrajna izdržljivost u okruženjima za česte namene, poput učionica ili u salama za sastanke.

Delite, strimujte i uređujte sadržaj sa bilo kojeg uređaja direktno na ekranu i transformišite sastanke ili predavanja svog tima u laku, brzu i nesmetanu interaktivnu sesiju sa uključenim WiFi modulom ([OWM001](#)) i aplikacijom ScreenSharePro.



iiWare 8.0 (Android OS)

iiWare 8.0 sadrži 6 različitih aplikacija za saradnju i deljenje sadržaja, a pored toga sadrži i program Note, Web browser, fajl menadžer, Cloud menadžer, WPS Office i ScreenSharePro. Note je aplikacija za digitalnu tablu za kreiranje napomena na ekranu. ScreenSharePro omogućava korisnicima da dele, prenose i snimaju sadržaj sa bilo kojeg uređaja direktno na ekran i pretvoriti sastanke tima ili školske lekcije u jednostavne, brze i neometane interaktivne sesije. iiWare podržava reprodukciju prezentacija, video snimaka visoke



PC slot

Pretvorite svoj ekran u samostalno rešenje pomoću opcionog računara \*.

Nema više gnjavaže sa kablovima i postavljanja NUC-a ili računara na zadnju stranu monitora ili na pod. Jednostavno ubacite iiyama slot PC (prodaje se odvojeno) i započnite rad odmah.

\* Nije pogodan za OPS Slot PC računare.

01 rezolucije, gotovo bilo koju vrstu sadržaja sa USB diska, cloud-a ili interne memorije.

Dizajn	Tanki okvir
Dijagonala	98", 247.7cm
Panel	IPS Direct LED, AG presvučeno staklo
Osnovna rezolucija	3840 x 2160 (8.3 megapixel 4K UHD)
Format ekrana	16:9
Osvetljenje	350 cd/m <sup>2</sup>
Propusnost svetla	88%
Statički kontrast	1200:1
Dinamički kontrast	4000:1
Vreme odziva (GTG)	8ms
Zona gledanja	horizontalno/vertikalno: 178°/178°, desno/levo: 89°/89°, gore/dole: 89°/89°
Podržane boje	1.07B 10bit
Horizontalna sinhronizacija	30 - 80KHz
Vidljiva površina Š x V	2158.9 x 1214.4mm, 85 x 47.8"
Razmak piksela	0.562mm
Boja okvra	crna, mat

## 02 TOUCH

Touch tehnologija	infracrveno
Tačke dodira	20 (HID, samo uz podržani OS)
Preciznost dodira	+ - 2mm
Način dodira	olovka, prst, rukavica
Interfejs dodira	USB
Podržani operativni sistemi	Svi iiyama monitori su Plug & Play kompatibilni sa Windows Linux operativnim sistemima. Detalje o podržanom OS-u za modele osetljive na dodir potražite u odjeljku za preuzimanje u uputstvima za instalaciju drajvera.

## 03 KONEKTORI / KONTROLE

Ulaz analognog signala	VGA x1 (max. 1920x1080 @60Hz)
Ulaz digitalnog signala	HDMI x3 (v.2.0, max. 3840x2160 @60Hz (YUV420))
Audio ulaz	Mini konektor x1
Kontrolni ulaz	RS-232c x1 RJ45 (LAN) x1 (Internet samo za Android)
Digitalni izlaz signala	HDMI x1 (2.0, 3840x2160 @60Hz)
Audio izlaz	S/PDIF (Optički) x1 Mini konektor x1 Zvučnici 2 x 12W
HDCP	v.2.2
USB portovi	x6 (reprodukcija medija / periferna oprema / memorija - prednja strana: 2x v.2.0, dno: 1x v.2.0, desna strana: 3x v.3.0)

## 04 KARAKTERISTIKE

Integrirani softver	iiWare 8.0 (Android OS) koji sadrži Note, web pregledač, menadžer datoteka, cloud diskove, WPS kancelariju i ScreenSharePro za bežičnu vezu sa Windows / iOS / Android uređajima
WiFi	da (WiFi Module OWM001 - Dual WiFi Bandwidth: 2.4GHz/5GHz, WiFi Standard: 11AC 802.11 a/b/g/n/ac)

<b>Hardver</b>	Dual core A73+A53 CPU, Quad core Mali G51 GPU, 3GB RAM, 16GB interna memorija
<b>Dodatno</b>	WiFi Modul (OWM001), opcioni slot za PC, olovke za četiri dodira
<b>Kiosk mod</b>	da
<b>Maksimalno neprekidno radno vreme</b>	18/7
<b>Reprodukcija medija</b>	da
<b>Debljina stakla</b>	4mm
<b>Tvrdoća stakla</b>	7H
<b>Kućište (okvir)</b>	metal
<b>Zaključavanje OSD tastera</b>	da

## 05 OPŠTE

<b>OSD jezici</b>	EN, DE, FR, ES, IT, RU, CZ, NL, PL
<b>Plug&amp;Play</b>	DDC2B
<b>Garancija</b>	5 godina (za detalje i zemlje koje ispunjavaju uslove, molimo pogledajte odeljak o garanciji na našoj web stranici)

## 06 MEHANIČKI

<b>Orijentacija</b>	pejzaž
<b>Dizajniran bez ventilatora</b>	da
<b>VESA montiranje</b>	800 x 600mm
<b>Opseg radne temperature</b>	0°C - 40°C
<b>Temperatura skladištenja</b>	- 20°C - 60°C
<b>MTBF - Prosecno vreme izmedju kvarova</b>	50.000 sati (izuzimajući pozadinsko osvetljenje)

## 07 UKLJUČENI DODACI

<b>Kablovi</b>	Strujni kabl, USB, HDMI
<b>Olovka za dodir</b>	x4 (ø3 x1 & ø7 x1)
<b>Upustva</b>	kratko uputstvo, bezbednosni vodič
<b>Daljinski upravljač</b>	da (baterije uključene)

## 08 UPRAVLJANJE NAPAJANJEM


<b>Napajanje</b>	interna
<b>Potrošnja energije</b>	% 1W tipično, 0.5W stand by, 0.5W iskljucen

## 09 ODRŽIVOST

<b>Propisi</b>	CB, CE, TÜV-Bauart, EAC, RoHS podrška, ErP, WEEE, REACH
<b>REACH SVHC</b>	iznad 0.1%: Olova

## 10 DIMENZIJE / TEŽINA

<b>Dimenzije proizvoda Š x V x D</b>	2244.7 x 1323 x 90.5mm
<b>Dimenzije kutije Š x V x D</b>	2483 x 1493 x 376mm
<b>Težina (bez kutije)</b>	101.5kg
<b>Težina (sa kutijom)</b>	138.75kg



All trademarks and registered trademarks acknowledged. E & O E. Specification subject to change without notice. All LCD's comply with ISO-9241-307:2008 in connection with pixel defects.

© IYAMA CORPORATION. ALL RIGHTS RESERVED