



Uđite u igru sa G2230HS Black Hawk monitorom sa vremenom odziva 0,8 ms

G-Master G2230HS Black Hawk od 21,5" Vaš je savršen saputnik. Naoružan FreeSync tehnologijom i sa zadivljujućim vremenom odziva od 0,8 ms, učiniće da Vaši neprijatelji zadržte. A ako mrak padne preko kopna, funkcija Black Tuner poboljšaće detalje u zasenčenim područjima, osiguravajući da nijedan neprijatelj ne može ostati sakriven.



0.8ms

Brzo vreme odziva je ključni faktor za izuzetno glatko igranje igrica. Smanjuje efekat gosinga i razmazivanje slike obezbeđujući korisniku unapređene grafičke performanse.



AMD FreeSync™ Tehnologija

AMD FreeSync™ tehnologija označava kraj igranju sa iseckanim frejmovima i donosi tečni gejملهj bez artefakta pri gotovo bilo kom frejmrejtju.

01 KARAKTERISTIKE EKRANA

Dijagonala	21.5", 54.7cm
Panel	TN LED, mat finiš
Osnovna rezolucija	1920 x 1080 @75Hz (2.1 megapixel Full HD, HDMI & DisplayPort)
Osnovna rezolucija	75Hz
Format ekrana	16:9
Osvetljenje	250 cd/m ²
Statički kontrast	1000:1
Napredni kontrast	80M:1
Vreme odziva (GTG)	0.8ms
Zona gledanja	horizontalno/vertikalno: 170°/160°, desno/levo: 85°/85°, gore/dole: 80°/80°
Podržane boje	16.7mln
Horizontalna sinhronizacija	30 - 83KHz
Vidljiva površina Š x V	476.6 x 268.1mm, 18.8 x 10.6"
Razmak piksela	0.248mm
Boja	mat, crna

02 KONEKTORI / KONTROLE

Ulaz signala	VGA x1 (max. 1920 x 1080 @60Hz) HDMI x1 (v.1.4, max. 1920 x 1080 @75Hz) DisplayPort x1 (v.1.2, max. 1920 x 1080 @75Hz)
HDCP	da
Priključak za slušalice	da

03 KARAKTERISTIKE

Smanjeno emitovanje plave svetlosti	da
Bez treperenja	da
Adaptive Sync podrška	DP & HDMI: 1920 x 1080 @48-75Hz
OSD jezici	EN, DE, FR, ES, IT, RU, JP, CZ, NL, PL
Zvučnici	2 x 1W
Pogodnost	Kensington-lock™ priprema, DDC2B, Mac OSX

04 MEHANIČKI

Podešavanje položaja prikaza	nagib
Ugao nagiba	22° gore; 5° dole
VESA montiranje	100 x 100mm
Sistem upravljanja kablovima	da

05 UKLJUČENI DODACI

Kablovi	Strujni kabl, HDMI
Ostalo	kratko uputstvo, bezbednosni vodič, Sistem upravljanja kablovima

06 UPRAVLJANJE NAPAJANJEM

Napajanje	interna
-----------	---------

Potrošnja energije

% 1W tipično, 0.5W stand by, 0.5W isključen

07 ODRŽIVOST

Propisi

CB, CE, TÜV-Bauart, EAC, VCCI-B, RoHS podrška, ErP, WEEE, REACH

Klasa energetske efikasnosti (Regulation (EU) 2017/1369)

D

REACH SVHC

iznad 0.1%: Olova

08 DIMENZIJE / TEŽINA

Dimenzije proizvoda Š x V x D

504.5 x 383 x 187mm

Dimenzije kutije Š x V x D

633 x 139 x 420mm

Težina (bez kutije)


3.1kg

Težina (sa kutijom)

4.2kg

EAN kod

4948570117819



All trademarks and registered trademarks acknowledged. E & O E. Specification subject to change without notice. All LCD's comply with ISO-9241-307:2008 in connection with pixel defects.

© IIYAMA CORPORATION. ALL RIGHTS RESERVED